

DESIGN 21431-0200

EPS / SANDERS SMOKE TECH.

- CASE SIZE: CW9040-1204 (APPROX. INTERIOR DIMENSIONS) MOLDED IN GRY-133
- HEAVY DUTY CATCHES / STRIKES – QUARTER TURN CLOSURE HARDWARE
- HEAVY DUTY METAL HANDLES AND LIFT / TIE DOWN RINGS
- PRESSURE RELIEF VALVE AND HUMIDITY INDICATOR
- HEAVY DUTY NYLON STRAP HANDLES INSTALLED ON THE CONTAINER LID
- ALUMINUM BASH PLATES GUARD AGAINST FORK TRUCK DAMAGE
- CUSTOM COMPOSITE SKID RUNNERS ALLOW 4 WAY FORK TRUCK ACCESS
- CASES ARE STACKABLE
- CUSTOM CROSS-LINKED POLYETHYLENE CUSHION DESIGN ALLOWS FOR MULTIPLE SMOKE GENERATOR MODELS
- DOCUMENT STORAGE TUBE
- DESICCANT STORAGE POUCHES
- MULTI-LINGUAL STENCILS / MARKINGS

Name: C.GHIZ

11/7/2025

This PowerPoint is only for use by the intended recipient(s) and may contain confidential, proprietary or otherwise private information of Pelican Products, Inc. Any unauthorized use, reproduction, dissemination, distribution or other disclosure of the contents of this information is strictly prohibited.



Diagram illustrating the features of the 1000 Series 10000 PSI 1/2" hydraulic cylinder:


- HEAVY DUTY CATCHES/STRIKES
- LIFT / TIE DOWN RINGS
- HUMIDITY INDICATOR
- LOCKABLE FEATURE
- RELIEF VALVE

LIFT / TIE DOWN RINGS

HUMIDITY INDICATOR

LOCKABLE FEATURE

RELIEF VALVE



FORK TRUCK ACCESS


COMPOSITE SKID RUNNERS

ALUMINUM BASH PLATES FRONT AND REAR PROVIDE FORK TRUCK PROTECTION

FRONT VIEW

METAL HANDLES
LOCATED HERE AND DIRECTLY OPPOSITE
ALSO, CASE FRONT AND REAR

ALUMINUM BASH
PLATES EACH END




CARRETILLA ELEVADORA AQUÍ
FORK LIFT HERE

FORK TRUCK ACCESS

SIDE VIEW


DOCUMENT STORAGE
TUBE



COMPOSITE 2X4 AND 4X4 LUMBER BOLTED
TO ALUMINUM PLATES

BOTTOM VIEW


BOTTOM PLATES FOR MOUNTING
COMPOSITE SKID RUNNERS AND
FORK TRUCK PROTECTION




COMPOSITE SKID RUNNERS
ALLOW CONTAINERS TO BE
STACKED

BOTTOM VIEW

8 NYLON STRAP HANDLES
FOR LID PLACEMENT



TOP END VIEW




2.0 PCF CROSS LINK POLYETHYLENE FOAM CUSHION

REMOVABLE FOAM PC
USED WHEN SHORTER GENERATOR
IS LOADED INTO CASE- SHOWN STORED

NYLON STRAP TETHER
PREVENTS LOSS OF FOAM PC


VIEW INTO BASE

FOAM PC IN STORAGE
ALLOWS PLACEMNT OF LONGER GENERATOR




TOP VIEW WITH BOTH MODEL GENERATORS

FOAM PC IN PLACE
SECURES SHORTER GENERATOR



TOP VIEW INTO CASE WITH BOTH MODEL GENERATORS



SHOWN WITH LID CUSHION
LID CUSHION LOWERS ON GENERATORS AND SECURES THEM FOR TRANSIT



CASES SHOWN STACKED